MODERN STEEL

garage doors








MODERN STEEL*

Whether it's a modern makeover or a retro redo, our Modern Steel[™] garage doors come in many low-maintenance styles to boost your home's curb appeal. Let your creativity flow as you design a door with or without grooves, add square, rectangular or contemporary slim windows in a unique layout, or keep it sleek with a solid flush panel motif. All are available in multiple paint colors, as well as Ultra-Grain[®] wood-look and Lustra[™] matte finishes to complement the look for your home.

MODEL AVAILABILITY



										11.5								A CONTRACTOR OF THE PARTY OF TH					
DOOR DESIGNS							. 3-LAYER											2-LAYER 1-LAYER					
Door design examples shown at 9' wide × 8' high vailable window options listed below model number (See back cover for examples of window options)					TEXTU			2" urethane R-value		1- Polyu	3/8" rethane R-value		Boi Polys	2" nded tyrene -value		1-3/8 Bond Polysty 6.5 R-v	ed rene	Pol	l-5/16" ystyrer 8 R-valu		Non-Ir	sulated	
MODERN FLUSH									Door constructed using 24", 21" and 18" section heights														
								Cont	9202 emporary indows	,	Conte	132 mporary	,	Conte	302 mporary dows	. (413:	orary					
Solid		Vindo				Woodg	rain																
MC	DDE	RN F	FLUS	SH								Do	or coi	nstructe	ed using	g 21" ar	d 18" s	ection h	eights				
								ç	9201		9	131		43	301		405	1		T42F Gauge Ste	el)		0F F
Solid	- L	Vindo	w Sec	tions		Woodg	rain	and D	emporary Decorative indows		and De	mporary ecorative ndows		and De	nporary corative dows		Decora: Windo			ecorative Vindows		Deco	ge Steel) rative dows
MODERN FLUSH							Door constructed using 24",									and 18"	section	n heigh	ts				
								ç	208	П	9	138	Т	43	308	Т	413	8					
Solid	Conf	tempo	rary W	/indow	S	Stuce	CO*†	ar	emporary nd Slim indows	/	Conte Wir	mporary idows	,	and	mporary Slim dows		Contemp Windo	orary ws					
MOD	DERN	N GR	00	VED								Door	const	tructed	using 2	4", 21"	and 18"	section	n heigh	ts			
					S								П										
					23348			ç	9205					43	305								
Solid		Vindo	w Sec	tions		Stuc	co*	Cont W	emporary indows	/				Conte Win	nporary dows								
MOD	DERN	N GR	200	VED								Doo	or coi	nstructe	ed usino	g 24" ar	id 21" se	ection h	eiahts				
								9209		9139			4309										
			936						9109			Contemporary											
Solid	Con	tempo	rary V	Vindow	S	Stuce	CO*†	ar	emporary nd Slim indows	/	Conte Wir	mporary idows	,	and	nporary Slim dows								
COLOR AVAILABILITY	Standari White	Almond	Desert Tan	Sandtone	Bronze	Chocolate	Mocha Brown	Hunter Green Gr	ay Charcoa	l Black	Lustra Black	Lustra Charcoal	Lustra Silver	Ultra-Grain Cypress Medium	Ultra-Grain Cypress Cherry	Ultra-Grai Cypres: Walnut	Cypres:	n Ultra-Gra Plank Coasta Gray	in Ultra-Gra Plank Natura	in Ultra-Gra : Plank al Cedar	n Ultra-G Plar Kon	rain Ultra-Gra ik Plank a Barnwo	ain Ultra-Grain : Plank od Espresso
9202, 9205	•	•	•	•	•	•	-			•				•	•		•						
9208	•	•	•	•	•	•	•			•	•	•	•	•	•		•		•				
9209 9201						-					•	•	•	•	•	•	•						
9132, 9138,																							
9139 9131																							
4302, 4305, 4308, 4309																							
4300, 4309																							
4132	•	•	•	•	•	•	•			•				•	•		•						
4051	•	•	•	•	•	•				٠													
4138	•	•	•	•	•	•	•		•	•				•	•	•	•						
T42F, T40F 4F	•		٠	•		•																	
**	_		-	_		-				_													

Calculated door section R-value is in accordance with DASMA TDS-163. For more information about color options see page 4.
*Exterior steel surface on Ultra-Grain® Cypress finish door has a woodgrain texture.

†Exterior steel surface on a Lustra™ finish door has a subtle matte texture on a smooth flush panel.

STANDARD COLORS



- Exterior steel surface on standard color doors has either a stucco or woodgrain embossed texture depending on the model (see chart on page 3 for details).
- Doors can be painted using a high-quality latex exterior paint. Do not use oil-based paint.

*Additional charges apply (Note: door uses 24 gauge steel).

Due to the printing process, colors may vary.

Order free color samples at www.clopaydoor.com/requestcolorsamples.

Not all colors available on all models. See previous page for availability.

ULTRA-GRAIN® FINISH









Cypress Cy Medium Cl

Cypress Cherry

Cypress Walnut

Cypress Slate

- Low maintenance, stained wood-look steel door with less upkeep.
- Exterior steel surface has an embossed woodgrain texture with horizontal Cypress Ultra-Grain.
- Window frames, grilles and inserts are painted a solid color to complement Ultra-Grain® finishes.

Due to the printing process, colors may vary.

Order free color samples at www.clopaydoor.com/requestcolorsamples.

Not all colors available on all models. See previous page for availability.

Additional charges apply.

CUSTOM PAINT OPTION



Choose from over 1,500 Sherwin-Williams® paint colors to complement your home with Clopay's Color Blast® factory-finishing option. Our durable two-part paint system is tested and backed by a five-year warranty.

LUSTRA™ FINISH







Black

Charcoal

Silver

Prefer a different look than an embossed woodgrain or stucco steel surface texture? Lustra™ is a low-gloss matte finish available in Black, Charcoal and Silver. Paired with contemporary slim windows or as a solid door, it's easy to create an eye-catching facade that's both energy efficient and durable.

- Door features 24 gauge flush panel steel exterior.
- Window frames, grilles and inserts are painted a solid color to complement Lustra finishes.
- Due to the unique matte finish texture,
 Lustra[™] doors cannot be painted a different color.

Due to the printing process, colors may vary.

Order free color samples at www.clopaydoor.com/requestcolorsamples.

Not all colors available on all models. See previous page for availability.

Additional charges apply.

ULTRA-GRAIN® PLANK











Kona

Barnwood

Espresso

Rustic meets modern on this unique flush panel steel door design featuring digitally printed horizontal planks with a wood-look appearance. The planks vary in length with no repeating grain pattern and a nice tonal variation for visual interest.

- Complements mid-century, farmhouse, coastal cottage and transitional home styles.
- Steel surface has an embossed stucco texture.
- Window frames are painted a solid color to complement Ultra-Grain[®] finishes or come in contrasting Silver and Black accent colors.

Due to the printing process, colors may vary.

Order free color samples at www.clopaydoor.com/requestcolorsamples.

Not all colors available on all models. See previous page for availability.

Additional charges apply.



HIGH R-VALUES

Delivering high R-values, our proprietary Intellicore® polyurethane foam insulated doors are stronger, quieter and save on energy use year-round. Your garage will feel 10 – 20 degrees warmer in the winter and cooler in the summer.





ENERGY EFFICIENCY

Provides year-round comfort

THERMAL BREAK

Separates steel skins to improve energy efficiency

18.4 R-VALUE Highest R-value in its class

DURABILITY

Enhanced strength reduces dents

NOISE LEVEL

Dense insulation reduces operating noise

RUST PREVENTION

Layered coating system helps protect steel finish

Thermal break is not present on 4051, 2-layer and 1-layer models.

ADDITIONAL FEATURES

- Tongue-and-groove section joints keep out wind, rain and snow.
- Replaceable vinyl bottom weatherseal in a corrosion-resistant retainer helps seal out the elements.
- 2" thick polystyrene and all Intellicore® insulated doors come standard with 10-ball nylon rollers and heavy-duty 14 gauge steel hinges.
- Clopay's Safe-T-Bracket® helps prevent serious injury that could occur if the bottom bracket were removed with the garage door closed and under tension.
- Durable, color-matched exterior step plate/lift handles allow for safe and convenient opening and closing.
- Window grilles are removable for easy cleaning.
- Built-in WindCode® door reinforcement available for high wind load applications.

Refer to your door's Care and Maintenance Manual for additional information.

RUST-PREVENTION SYSTEM



Steel skins are protected through a tough, layered coating system, including a hot-dipped galvanized layer, a protective metal oxide pretreatment and a baked-on primer and top coat.

WARRANTIES







ENVIRONMENTAL ASSURANCE

All Clopay doors are compliant with environmental laws and regulations and do not contain HFCs:

- California SB 1013
- New Jersey A-5583/S-3919 Greenhouse Gas Bill
- Washington HB 1112 Hydrofluorocarbon Greenhouse Gas Emissions
- Canadian regulations amending the ozone-depleting substances and halocarbon alternatives regulations
- 2" thick polystyrene doors and all Intellicore® insulation doors comply with 2015 IECC air infiltration requirement of 0.40 cfm/ft² or less (IECC, Section C402.5.2).



POPULAR CONTEMPORARY WINDOW CONFIGURATIONS

Modern Steel doors can be designed with short, long or contemporary slim windows in many configurations including vertically stacked down one side of the door, stacked on both sides of the door, and placed in all sections. The window placement must be the same in every panel on doors with multiple window sections.


When configuring contemporary window placement, please refer to the examples provided to indicate the desired location. The illustrations show windows and solid sections from the outside of the garage. The ordering codes listed beneath are

from the inside of the garage looking out as described below.

SOL=Solid (no window) location **GL**=Glazed (window) location

Sections are numbered from the floor up to the top of the door.

Example: Windows down right side (from inside garage looking out)




View from Inside Garage

LONG WINDOW

CONFIGURATIONS

(Viewed from outside)



View from Outside Garage

SLIM WINDOW

CONFIGURATIONS

(Viewed from outside)


SHORT WINDOW CONFIGURATIONS (Viewed from outside)



SOL-SOL-SOL-SOL-SOL-GL-GL Sections: 1, 2, 3, 4 Sections: 1, 2, 3, 4




SOL-GL Sections: 1, 2, 3, 4



SOL-SOL-SOL-GL Sections: 1, 2, 3, 4




Sections: 1, 2, 3, 4



SOL-SOL-SOL-GL Sections: 1, 2, 3. 4




GL-SOL-SOL-SOL Sections: 1, 2, 3, 4



GL-GL-SOL-SOL-SOL-SOL-SOL Sections: 1, 2, 3, 4




GL-SOL Sections: 1, 2, 3, 4



Sections: 1, 2, 3, 4




GL-SOL Sections: 1, 2, 3, 4



GL-SOL-SOL-SOL Sections: 1, 2, 3, 4



GL-SOL-SOL-GL Sections: 3, 4



Sections: 3, 4



GL-GL Sections: 3, 4



GL-GL-GL-GL Sections: 3, 4



GL-GL Sections: 3, 4




GL-GL-GL-GL Sections: 3, 4

Sections: 1, 2, 3, 4




GL-GL-GL-GL Sections: 1, 2, 3, 4



GL-GL-GL-GL-GL-GL Sections: 1, 2, 3, 4




GL-GL Sections: 1, 2, 3, 4



GL-GL-GL-GL Sections: 1, 2, 3, 4



GL-GL Sections: 1, 2, 3, 4



Window configurations shown above apply to Models 9208, 9209, 9138, 9139, 4308, 4309 and 4138. These doors use 24" and 21" section heights, allowing for these configurations.

Tempered glass options include: Clear, Midnight Gray, Frosted, Obscure, Narrow Reed.

Slim window designs are only available with tempered Clear, Midnight Gray or Frosted insulated glass.







Midnight Gray

Frosted

Obscure


Narrow Reed

WINDOW OPTIONS -

Windows bring natural light into the garage and enhance your home's curb appeal. All Clopay window frames are UV-protected and are color matched to our prefinished door colors. Window frames screw in from the inside for easy glass replacement or to change designs.

CONTEMPORARY/ARCHITECTURAL SERIES WINDOWS -

These windows feature a larger viewing area and are available on select models and door heights. Short windows are 19-1/2" × 16"; long windows are 42" × 16".




CONTEMPORARY SLIM WINDOWS

Contemporary Slim windows have Mid-Century Modern appeal. The windows are 37" × 8" with aluminum frames powder coated in Silver or Black.




DECORATIVE INSERT SERIES WINDOWS

UV-protected cellular plastic inserts snap into the inside or outside of the window frame for easy cleaning or to change designs. Windows are available in single strength, double strength, acrylic, obscure or insulated glass. Short windows are 19-1/2" × 12"; long windows are 40-1/2" × 12".



[†] Shown with clear glass.

Acrylic windows require special cleaning. See care and maintenance manual.



Obscure

Rain

Frosted



Visit clopaydoor.com or call 1-800-2CLOPAY (225-6729) for more information on Clopay, America's Favorite Garage Doors.

















©2025 Clopay Corporation. All rights reserved.

[‡]Sunset windows not available on Ultra-Grain® or Lustra™ finish doors.

Additional charges for optional glass apply.